


```

000000      TTTTTTTTTT      SSSSSSSS      CCCCCCCC      VV      VV      TTTTTTTTTT      RRRRRRRR      DDDDDDDD      PPPPPPPP
000000      TTTTTTTTTT      SSSSSSSS      CCCCCCCC      VV      VV      TTTTTTTTTT      RRRRRRRR      DDDDDDDD      PPPPPPPP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
00          TT          SS          CC          VV      VV      TT          RR          DD          PP          PP
000000      TT          SSSSSSSS      CCCCCCCC      VV      VV      TT          RR          DD          PP          PP
000000      TT          SSSSSSSS      CCCCCCCC      VV      VV      TT          RR          DD          PP          PP
                                .....
                                .....
                                .....
                                .....

LL          IIIIIIII      SSSSSSSS
LL          IIIIIIII      SSSSSSSS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LL          II          SS          SS          SS          SS          SS          SS          SS          SS
LLLLLLLLLLL IIIIIIII      SSSSSSSS
LLLLLLLLLLL IIIIIIII      SSSSSSSS

```

(2) 50
(3) 62
(4) 100

HISTORY
DECLARATIONS
OTSSCVTRDP_R9

; Detailed Current Edit History

```

0000 1      .TITLE OTSSCVTRDP_R9  Convert Rounded Double Floating to Packed
0000 2      .IDENT /1-005/          ; File: OTSCVTRDP.MAR Edit: PLL1005
0000 3
0000 4
0000 5 *****
0000 6 *****
0000 7      COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8      DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9      ALL RIGHTS RESERVED.
0000 10
0000 11      THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12      ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13      INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14      COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15      OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16      TRANSFERRED.
0000 17
0000 18      THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19      AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20      CORPORATION.
0000 21
0000 22      DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23      SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24
0000 25 *****
0000 26 *****
0000 27
0000 28
0000 29      FACILITY: LANGUAGE INDEPENDENT SUPPORT
0000 30      ++
0000 31      ABSTRACT:
0000 32      This module contains the routine that converts double floating
0000 33      numbers to packed with rounding.
0000 34
0000 35
0000 36      --
0000 37
0000 38      VERSION: 1
0000 39
0000 40      HISTORY:
0000 41
0000 42      AUTHOR:
0000 43      Marty Jack, 14-Mar-1979
0000 44
0000 45      MODIFIED BY:
0000 46
0000 47
0000 48

```

OT
Sy
CO
DS
LI
OT
OT
PS
--
SA
-C
Ph
--
In
Co
Pa
Sy
Pa
Sy
Ps
Cr
As
Th
83
Th
18
8
Ma
--
-S
19
Th
MA

OTSSCVTRDP_R9
1-005

Convert Rounded Double Floating to Packe L 3 16-SEP-1984 00:26:41 VAX/VMS Macro V04-00 Page 2
HISTORY ; Detailed Current Edit History 6-SEP-1984 11:13:24 [LIBRTL.SRC]OTSCVTRDP.MAR;1 (2)

```
0000 50      .SBTTL HISTORY      ; Detailed Current Edit History
0000 51
0000 52
0000 53 : Edit History for Version 1 of OTSCVTRDP
0000 54 :
0000 55 : 1-001 - Original. MLJ 14-Mar-1979
0000 56 : 1-002 - Make external references explicit. RKR 17-JULY-1979
0000 57 : 1-003 - Change all references to FOR$CNV_OUT_E to OTSS$CNVOUT
0000 58 : RKR 27-SEPT-79
0000 59 : 1-004 - Cosmetic changes. RKR 18-OCT-79
0000 60 : 1-005 - Change source name to OTSS$ and retain old entry point name. PLL 21-Jan-82
```

```

0000 62      .SBTTL  DECLARATIONS
0000 63
0000 64 :
0000 65 : INCLUDE FILES:
0000 66 :
0000 67      $DSCDEF
0000 68
0000 69 :
0000 70 : EXTERNAL SYMBOLS:
0000 71
0000 72      .DSABL  GBL          ; Prevent undeclared symbols from being
0000 73                                ; automatically global
0000 74
0000 75      .EXTRN  OTSS$CNVOUT    ; E-format conversion
0000 76      .EXTRN  LIB$STOP      ; Error halt
0000 77      .EXTRN  OTSS$_FATINTERR ; Fatal internal error code
0000 78 :
0000 79
0000 80 :
0000 81 : MACROS:
0000 82 :     NONE
0000 83 :
0000 84
0000 85 :
0000 86 : PSECT DECLARATIONS:
0000 87      .PSECT  _OTSS$CODE    PIC, SHR, LONG, EXE, NOWRT,-
0000 88                                USR, CON, REL, LCL, RD
0000 89
0000 90 :
0000 91 : EQUATED SYMBOLS:
0000 92 :     NONE
0000 93 :
0000 94
0000 95 :
0000 96 : OWN STORAGE:
0000 97 :     NONE
0000 98 :

```

```
0000 100 .SBTTL OTSSCVTRDP_R9
0000 101
0000 102 :++
0000 103 : FUNCTIONAL DESCRIPTION:
0000 104 :
0000 105 : Converts a double floating number to packed with rounding.
0000 106 :
0000 107 : CALLING SEQUENCE:
0000 108 :
0000 109 : JSB OTSSCVTRDP_R9 (scale.rl.v, src.rd.r, dstlen.rl.v, dst.wp.r)
0000 110 :
0000 111 : Arguments are passed in R6, R7, R8 and R9.
0000 112 :
0000 113 : INPUT PARAMETERS:
0000 114 :
0000 115 : SCALE.rl.v The power of ten by which the internal
0000 116 : representation of the source must be
0000 117 : multiplied to scale the same as the
0000 118 : internal representation of the dest.
0000 119 : SRC.rd.r The number to be converted
0000 120 : DSTLEN.rl.v The number of digits in the destination
0000 121 :
0000 122 : IMPLICIT INPUTS:
0000 123 :
0000 124 : All of the trap bits in the PSL are assumed off.
0000 125 :
0000 126 : OUTPUT PARAMETERS:
0000 127 :
0000 128 : DST.wp.r The place to store the converted number
0000 129 :
0000 130 : IMPLICIT OUTPUTS:
0000 131 :
0000 132 : NONE
0000 133 :
0000 134 : FUNCTION VALUE:
0000 135 :
0000 136 : 1 = SUCCESS, 0 = FAILURE
0000 137 :
0000 138 : SIDE EFFECTS:
0000 139 :
0000 140 : Destroys registers R0 through R9.
0000 141 :
0000 142 :--
0000 143 :
0000 144 :
0000 145 OTSSCVTRDP_R9::
0000 146 COBSCVTRDP_R9::
5E 30 C2 0000 147 SUBL2 #48,SP ; Allocate temp space
6E 67 70 0003 148 MOVD (R7),(SP) ; Get input number
0006 149 :
0006 150 : Make a descriptor for the temporary string.
0006 151 :
0006 152 : PUSHAB 8(SP) ; Address = space reserved
7E 08 AE 9F 0006 153 MOVB #DSC$K_CLASS_S,-(SP) ; Class = static
7E 01 90 0009 154 MOVB #DSC$K_DTYPE_T,-(SP) ; Data type = ASCII string
7E 0E 90 000C 155 MOVW #38,-(SP) ; Length in bytes
7E 26 B0 000F 156 ;
0012 156 ;
```

```
0012 157 : Call OTSS$CNVOUT.
0012 158 :
0012 159 :     PUSHL    #31                ; Digits in fraction
0014 160 :     PUSHAB   4(SP)              ; Output string descriptor
0017 161 :     PUSHAB   16(SP)              ; Number to convert
001A 162 :     CALLS    #3,G^OTSS$CNVOUT    ; Call conversion routine
0021 163 :     BLBC     R0,20$              ; Should never fail
0024 164 :
0024 165 :     Convert the exponent and correct for scale factor.
0024 166 :
0024 167 :     CVTSP    #2,51(SP),#2,(SP)    ; Make packed exponent
002A 168 :     CVTPL    #2,(SP),R0           ; Make longword exponent
002E 169 :     MOVAB    -31(R6)[R0],R6       ; Correct for fraction size and scale
0033 170 :
0033 171 :     Convert the fraction to packed.
0033 172 :
0033 173 :     MOVB     16(SP),18(SP)        ; Move sign over "."
0038 174 :     CVTSP    #31,18(SP),#31,(SP)  ; Make packed fraction
003E 175 :     ASHP     R6,#31,(SP),#5,R8,(R9) ; Scale to destination
0045 176 :                                     ; (also clears R0)
0045 177 :     BVS     10$                  ; Branch if overflowed
0047 178 :     INCL    R0                   ; Indicate success, R0 = 1
0049 179 :     ADDL2   #56,SP               ; Delete stack temps
004C 180 :
004D 181 :
004D 182 :     Come here on failure of OTSS$CNVOUT. This should never happen.
004D 183 :
004D 184 :     20$:    PUSHL    #OTSS$FATINTERR ; OTS fatal error message
0053 185 :     CALLS    #1,G^LIB$STOP        ; Signal and don't return
005A 186 :
005A 187 :     .END
```

00000000'GF 03 FB 001A 162

04 AE 9F 0014 160

10 AE 9F 0017 161

29 50 E9 0021 163

6E 02 33 AE 02 09 0024 167

50 6E 02 36 002A 168

56 E1 A640 9E 002E 169

0033 170

0033 171

0033 172

69 58 6E 05 1F 12 AE 10 AE 90 0033 173

12 AE 1F 09 0038 174

6E 1F 56 F8 003E 175

02 1D 0045 176

50 D6 0047 177

5E 38 C0 0049 179 10\$:

05 004C 180

004D 181

004D 182

004D 183

00000000'8F DD 004D 184 20\$:

00000000'GF 01 FB 0053 185

005A 186

005A 187

OTSCVTRDP R9
Symbol table

Convert Rounded Double Floating to Packe 16-SEP-1984 00:26:41 VAX/VMS Macro V04-00 Page 6
6-SEP-1984 11:13:24 [LIBRTL.SRC]OTSCVTRDP.MAR;1 (4)

COBSCVTRDP R9
DSCSK_CLASS_S
DSCSK_DTYPE_T
LIB\$STOP
OTSCNVOUT
OTSCVTRDP R9
OTSC_FATINTERR

00000000 RG 02
= 00000001
= 0000000E
***** X 00
***** X 00
00000000 RG 02
***** X 00

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes															
. ABS .	00000000 (0.)	00 (0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE					
\$AB\$\$	00000000 (0.)	01 (1.)	NOPIC	USR	CON	ABS	LCL	NOSHR	EXE	RD	WRT	NOVEC	BYTE					
_OTSCCODE	0000005A (90.)	02 (2.)	PIC	USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG					

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	31	00:00:00.03	00:00:02.10
Command processing	120	00:00:00.34	00:00:03.07
Pass 1	135	00:00:01.15	00:00:06.70
Symbol table sort	0	00:00:00.11	00:00:00.98
Pass 2	52	00:00:00.34	00:00:03.57
Symbol table output	3	00:00:00.01	00:00:00.02
Psect synopsis output	2	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	345	00:00:02.00	00:00:16.46

The working set limit was 1050 pages.
8392 bytes (17 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 136 non-local and 2 local symbols.
187 source lines were read in Pass 1, producing 10 object records in Pass 2.
8 pages of virtual memory were used to define 7 macros.

! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	4

190 GETS were required to define 4 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:OTSCVTRDP/OBJ=OBJ\$:OTSCVTRDP MSRC\$:OTSCVTRDP/UPDATE=(ENH\$:OTSCVTRDP)

0212 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

